

# Made for a friendly phone call

Our one-person pod allows you to escape the office commotion and find a room for solitude.

### 

#### **Cost-effectiveness:**

The purchase and installation of our pod is more economical than building a conference room.



#### Plug & Play:

Ready to use immediately after a quick and simple installation. Easy to move to a new location.



#### **Sound Mastery:**

Exceptionally high level of sound insulation developed and tested by acoustic experts.



#### **Silent & Efficient Ventilation:**

Keeping you comfortable during long meetings without disturbing your colleagues.



Standard and Video conference: Whiteboard paint



Standard and Video conference: Mobility (casters)



Standard: Back support



Standard and Video conference: Control panel

Step 1: Choose variant

Select Pod variant based on your needs: Standard or Video conference.



Step 2: Design your Pod


1 Exterior walls and roof Whiteboard paint Custom RAL 2 Exterior frame and tabletop Whiteboard Anti-fingerprint laminate laminate 3 Interior walls



4 Seating Fabric selection from Kvadrat Remix3



Step 3: Select features



# One size two functions





1000 mm

#### Space S Standard

Recommended for: Phone call, Individual work



1000 mm

#### Space S Video conference

Recommended for: Video conference



1000 mm

#### Technical data

Asembly time: 1,5 h /  $\stackrel{\circ}{\sim}$  ×2 Mobility: Yes

#### Materials used:

- Construction: a plywood framework filled with a proprietary composition of sound isolating and absorbing materials with extra vapor control layer
- Exterior: painted metal and veneer or laminate
- Interior: felt
- · Glass: soundproof glass

#### **Parameters:**

- Exterior: 1000 mm\*1000 mm\*2247 mm [L\*W\*H]
- Interior: 887 mm\*805 mm\*2080 mm [L\*W\*H]
- Door opening left- or right-handed with a width of: 700 mm
- Tabletop height: 1095 mm
- Stool height: 595 mm to 775 mm
- Weight net:

Standard version: 347 kg VC version: 360 kg

VESA monitor bracket, recommended screen size 24"

#### **Acoustic properties:**

- One of the best sound insulation results on the market [ask for more details]
- Very short reverberation time inside: RT20 <0,2 s</li>
- Extremely quiet and efficient ventilation. Noise generated inside ≤ 39db / outside ≤ 35dB

#### **Energy consumption:**

· During operation 16W, in standby mode 4,5W

# In perfect harmony:









Volatile Organic Compounds and Formaldehyde free

# Similar idea. Different needs.



Single

∴×1

°×2





 $\stackrel{\circ}{\sim}$  ×2



°×6

Double Meeting

Double

Conference

Single: 🖰 ×1 2 × ڪ Couble: 🌣



# Made for focused work or 1-1 meeting

This minimalistic pod acts as both a mini meeting capsule, or a quiet haven where you can concentrate in peace.

### 

#### **Cost-effectiveness:**

The purchase and installation of our pod is more economical than building a conference room.



#### Plug & Play:

Ready to use immediately after a quick and simple installation. Easy to move to a new location.



#### **Sound Mastery:**

Exceptionally high level of sound insulation developed and tested by acoustic experts.



#### Silent & Efficient Ventilation:

Keeping you comfortable during long meetings without disturbing your colleagues.



Single and Double: Whiteboard paint



Single: Video conference (monitor arm)



Single: Height adjustable tabletop



Single and Double: Control panel

Step 1: Choose variant

Select Pod variant based on your needs: **Single** or **Double.** 



Step 2: Design your Pod

1 Exterior walls and roof

Whiteboard paint Custom RAL

2 Exterior frame and tabletop



3 Interior walls



(4) Seating

(only for Double version)
Fabric selection from Kvadrat Remix3



Step 3: Select features

1 Electric Occupancy LED Light Standard: 1\* or 2\*\* Hooks socket Mobility Phone induction Whiteboard Twin charging Options: Control panel USB (casters) paint charger LAN High adjustable 2 Lamps with M Monitor arm\* Connection USB\*\* tabletop\*

# One size two functions





1600 mm

Recommended for: Phone call, Individual work, Video conference



1600 mm

 $\approx \times 2$ 

Recommended for: Collaboration



1600 mm

#### Technical data

Asembly time: 2,5 h /  $\stackrel{\circ}{\sim}$  ×2 Mobility: Yes

#### Materials used:

- Construction: a plywood framework filled with a proprietary composition of sound isolating and absorbing materials with extra vapor control layer
- Exterior: painted metal and veneer or laminate
- Interior: felt
- Glass: soundproof glass

#### **Parameters:**

2247 mm

- Exterior: 1600 mm\*1200 mm\*2247 mm [L\*W\*H]
- Interior: 1360 mm\*1080 mm\*2080 mm [L\*W\*H]
- Door opening left-handed only with a width of: 900 mm
- Single version:

Height of desk without hight adujustment: 760 mm, with hight adjustment: 630-1250 mm

Double version:

Height of table: 1100 mm Height of stool: 640-880 mm

Weight net:

Single version: 540 kg Double version: 537 kg

Monitor arm: VESA 75 and 100 compliant

#### **Acoustic properties:**

- One of the best sound insulation results on the market [ask for more details]
- Very short reverberation time inside: RT20 <0,3 s
- Extremely quiet and efficient ventilation. Double version: noise generated inside 39 dBA / outside <37 dBA. Single version: inside 38 dBA / outside <37 dBA

#### **Energy consumption:**

- During operation: 16W (Single), 35W (Double)
- In standby mode: 4,5 W

### In perfect harmony:









Volatile Organic Compounds and Formaldehyde free

### Similar idea. Different needs.



Standard

Video

conference

 $0 \times 4$ 



 $^{\circ}$  ×2



 $2 \times 6$ 

Double Conference Meeting



# Made for a peaceful conversation

This funcional pod is the perfect office hide-away. A place to plan, create & debate.

### 

#### **Cost-effectiveness:**

The purchase and installation of our pod is more economical than building a conference room.



#### Plug & Play:

Ready to use immediately after a quick and simple installation. Easy to move to a new location.



#### **Sound Mastery:**

Exceptionally high level of sound insulation developed and tested by acoustic experts.



#### **Silent & Efficient Ventilation:**

Keeping you comfortable during long meetings without disturbing your colleagues.



Meeting: Sliding tabletop



Meeting: **Sofa** (version without armrest)



Double: Ergonomic tabletop for two



Meeting and Double: Control panel

Step 1: Choose variant

Select Pod variant based on your needs: **Meeting** or **Double** 



Step 2: Design your Pod

Exterior walls and roof

Whiteboard paint

Custom RAL

.....

(2) Exterior frame and tabletop

Whiteboard laminate Anti-fingerprint laminate

3 Interior walls



4 Seating

(only for Meeting version) Fabric selection from

colours

Kvadrat Remix3 Camira Synergy

#### Step 3: Select features

Ventilation 3 Electric Occupancy Standard: 2\* or 4\*\* Hooks LED Light socket Phone induction charger Mobility Whiteboard Twin charging Options: ((( + 1)) Control panel (casters) paint 2 Lamps with LAN 2 Sofas\* Monitor arm Connection

colours

# One size two functions





2247 mm

2200 mm

#### Meeting

Recommended for: Collaboration, Video conference



2200 mm

#### Double

0×2

Recommended for: Collaboration, Focused work in pairs, Video conference



300 mm

2200 mm

#### Technical data

Asembly time: 3 h /  $\stackrel{\wedge}{\sim}$  ×4 Mobility: Yes

#### Materials used:

- Construction: a plywood framework filled with a proprietary composition of sound isolating and absorbing materials with extra vapor control layer
- · Exterior: painted metal and veneer or laminate
- Interior: felt
- Glass: soundproof glass

#### **Parameters:**

- Exterior: 2200 mm\*1300 mm\*2247 mm [L\*W\*H]
- Interior: 2000 mm\*1192 mm\*2080 mm [L\*W\*H]
- Door opening left- or right-handed with a width of: 900 mm
- Meeting version:

Height of the sliding table: 700 mm Height of the sofa seat: 430 mm Height of the back: 735 mm

- Double version:
  - Height of the desk: 1100 mm
- Weight of the sofa with armrest: 23 kg
- Weight of the sofa without armrest: 17 kg
- · Weight net:

Meeting version: 725 kg Double version: 695 kg

Monitor arm: VESA 75 and 100 compliant

#### **Acoustic properties:**

- One of the best sound insulation results on the market [ask for more details]
- Very short reverberation time inside: RT20 ≤0,3 s
- Extremely quiet and efficient ventilation. Noise genereted inside: ≤ 38db (Meeting),
   ≤ 39db (Double) / outside ≤ 36db

#### **Energy consumption:**

• During operation 47W, in standby mode 4.5W

# In perfect harmony:









Volatile Organic Compounds and Formaldehyde free

### Similar idea. Different needs.











 $\stackrel{\circ}{\sim}$  ×2



°×6

Standard

Video conference

Single

Double

Conference



# Made for a fruitful meeting

This groundbreaking pod marries acoustic ingenuity with the very best use of space to create the ultimate conference room.

### 

#### **Cost-effectiveness:**

The purchase and installation of our pod is more economical than building a conference room.



#### Plug & Play:

Ready to use immediately after a quick and simple installation.



#### **Sound Mastery:**

Exceptionally high level of sound insulation developed and tested by acoustic experts.



#### **Silent & Efficient Ventilation:**

Keeping you comfortable during long meetings without disturbing your colleagues.



Conference and Unfurnished: Whiteboard paint



Conference: All ports in one




Conference and Unfurnished: **Dedicated dimmable lamp** 



Conference and Unfurnished: Control panel

Step 2: Design your Pod Step 1: Choose variant Select Pod variant based on your needs: Conference or Unfurnished. 1 Exterior walls and roof Whiteboard paint Custom RAL 2 Exterior frame and tabletop Whiteboard Anti-fingerprint laminate laminate 3 Interior walls

Step 3: Select features



# One size two functions




2450 mm



#### Conference

Recommended for: Video conference, Conference meeting,



2450 mm

#### Unfurnished

 $^{\circ}$  ×6

Recommended for: Conference meeting, Collaboration



#### Technical data

Asembly time: 8 h /  $\stackrel{\circ}{\sim}$  ×4 Mobility: No

#### Materials used:

- Construction: a plywood framework filled with a proprietary composition of sound isolating and absorbing materials with extra vapor control layer
- Exterior: painted metal and veneer or laminate
- Interior: felt
- Glass: soundproof glass

#### **Parameters:**

- Exterior: 2450 mm\*2800 mm\*2247 mm [L\*W\*H]
- Interior: 2255 mm\*2695 mm\*2140 mm [L\*W\*H]
- Door opening left- or right-handed with a width of: 900 mm
- Height of table: 740 mm
- Trapezoidal table: 2120 mm\*810 mm/645 mm
- Weight net:

Conference version: 1160 kg Unfurnished version: 1050 kg

VESA monitor bracket, recommended screen size 43" (max size 50")

#### **Acoustic properties:**

- One of the best sound insulation results on the market [ask for more details]
- Very short reverberation time inside: RT20≤0,3 s
- Extremely quiet and efficient ventilation. Noise generated inside: ≤ 38 dBA / outside ≤ 36 dBA

#### **Energy consumption:**

During operation 47W, in standby mode 10W

### In perfect harmony:









Volatile Organic Compounds and Formaldehyde free

### Similar idea. Different needs.



Standard



Video



conference



Single



 $^{\circ}$  ×2

Double



2×4

Meeting or Double